

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	("5,355,371") or ("5,541,927") or ("5,903,559") or ("6,147,992") or ("6,331,983") or ("6,529,498") or ("6,560,236") or ("6,611,872") or ("6,614,762") or ("6,683,865") or ("6,693,907") or ("6,728,205") or ("6,785,704") or ("6,788,681")).PN. or (U52001/004361).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:44
L2	54	("4,939,726") or ("5,088,032") or ("5,425,021") or ("5,594,942") or ("5,796,727") or ("5,893,116") or ("5,953,400") or ("6,006,090") or ("6,041,358") or ("6,112,249") or ("6,128,648") or ("6,167,438") or ("6,189,043") or ("6,205,481") or ("6,219,694") or ("6,260,070") or ("6,370,119") or ("6,389,423") or ("6,490,451") or ("6,535,493") or ("6,542,758") or ("6,553,020") or ("6,560,654") or ("6,587,457") or ("6,594,235") or ("6,622,157") or ("6,628,943")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:41
L3	0	(1 or 2) and (non adj adjacent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:41
L4	96	delay adj metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:45
L5	0	4 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:45
L6	37	4 and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:47
L7	9740	non adj adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:47

L8	1	7 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:50
L9	18	"5870564"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:50
L10	4	(("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:51
L11	96219	determin\$4 near5 (path\$1 or link\$1 or route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:51
L12	3089	709/238-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:57
L13	3608	(distance adj vector\$1) or (link adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:58
L14	8	coordinate\$1 and (1 OR 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:59
L15	10	13 AND (1 OR 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04
L16	80629	"370"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04
L17	310	16 AND 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04

L18	30	7 AND 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:05
L19	28	11 AND 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:43
L20	5	19 AND @RLAD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:44
S1	0	"5655134".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 15:16
S2	2	"5655134".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 15:16
S3	0	"5655134".URPN.	USPAT	OR	OFF	2004/06/22 15:16
S4	10	(("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:17
S5	0	(((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134"))).PN.) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S6	6	(((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134"))).PN.) and (internet or www or web or (packet adj switch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:23
S7	2	(((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134"))).PN.) and (mirror\$3 or replicat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:23

S8	2	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:29
S9	613	cach\$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:48
S10	74037	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S11	139	"455"/\$.ccls. and (cach\$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S12	1363	mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S13	9	mpls and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:31
S14	1	(mpls and "455"/\$.ccls.) and ("455"/\$.ccls. and (cach\$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:39
S15	1	((cach\$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) same (intercept\$3 or redirect)) and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:39
S16	23	((cach\$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) and (intercept\$3 or redirect)) and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:40
S17	2254	cach\$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:48

S18	621	(intercept\$4 or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:36
S19	69	(cach\$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld)) and ((intercept\$4 or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:20
S20	639	(intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:22
S21	70	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4))) and (cach\$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:37
S22	13	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4))) and (cach\$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld))) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:37
S23	4789	(replicat\$4 or mirror\$3) near8 (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:45
S24	8	((replicat\$4 or mirror\$3) near8 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) and ((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) and (cach\$3 same (mirror\$3 or replicat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:45
S25	19	"5893116".URPN.	USPAT	OR	OFF	2003/11/17 13:46
S26	8	"5893116".URPN. and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:00

S27	151	mobile adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:00
S28	23	(mobile adj server\$1) and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:19
S29	1	"6128648".URPN.	USPAT	OR	OFF	2003/11/17 14:03
S30	4	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and (fail\$3 or fault\$1 or error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:21
S31	0	(intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) and "6128648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:27
S32	2550	(intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:27
S33	0	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)) and (mobile adj server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S34	568	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)) and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S35	161	(((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)) and (replicat\$4 or mirror\$3)) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S36	71	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)) same (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28

S37	15	((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1)) same (replicat\$4 or mirror\$3) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:33
S38	50	"5633999".URPN.	USPAT	OR	OFF	2003/11/17 14:31
S39	412	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:31
S40	34	709/239.ccls. and ((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:32
S41	4	(709/239.ccls. and ((intercept\$4 or rerout\$3 or (re adj rerout\$3) or redirect\$4) near8 (error\$1 or fault\$1 or failure\$1))) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S42	920	vaughn.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S43	3	vaughn.xa. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:58
S44	1	(vaughn.xa. and 709/239.ccls.) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:49
S45	5	"6041358".URPN.	USPAT	OR	OFF	2003/11/17 14:48
S46	2	"6041358".URPN. and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:50

S47	15	("5875183" "5930714" "5949780" "5987011" "6014569" "6041358" "6122665" "6161008" "6185288" "6195705" "6421714" "6434134" "6473411" "6490259" "6496704").PN.	USPAT	OR	OFF	2003/11/17 14:50
S48	7	((("5875183" "5930714" "5949780" "5987011" "6014569" "6041358" "6122665" "6161008" "6185288" "6195705" "6421714" "6434134" "6473411" "6490259" "6496704").PN.) and (cach\$3 or replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:51
S49	911	455/445.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:58
S50	42	455/445.ccls. and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:59
S51	277	455/445.ccls. and (redirect\$4 or rerout\$3 or (re adj rout\$3) or ((different or alternate) adj (path or route\$1)) or intercept\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:01
S52	30	(455/445.ccls. and (redirect\$4 or rerout\$3 or (re adj rout\$3) or ((different or alternate) adj (path or route\$1)) or intercept\$4)) and (replicat\$4 or mirror\$3 or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:06
S53	1	455/445.ccls. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:06
S54	4	"5870564".PN. OR "5655134".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:52
S55	0	("5870564".PN. OR "5655134".PN.) AND (MOBILE OR CELLULAR OR WIRELESS OR PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:54

S56	118	HYPERCUBE AND TOPOLOG\$3 AND (MOBILE OR CELLULAR OR WIRELESS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:54
S57	89	(HYPERCUBE AND TOPOLOG\$3 AND (MOBILE OR CELLULAR OR WIRELESS)) AND @AD<"20010201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:55
S58	91	YEMINI.INV.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S59	1	YEMINI.INV. AND TRUSTEES	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S60	76831	"455"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S61	3	(HYPERCUBE AND TOPOLOG\$3 AND (MOBILE OR CELLULAR OR WIRELESS)) AND "455"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:58
S62	7	"6041358".URPN.	USPAT	OR	OFF	2004/06/07 17:58
S63	1196	"455"/\$.CCLS. AND TOPOLOGY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:59
S64	2	"6041358".URPN. AND TOPOLOGY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:59
S65	2	"6189102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:43
S66	0	"6189102".pn. and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:52

S67	4	cheline.inv. and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:52
S68	12	((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.) and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:08
S69	34410	(mirror\$4 or replicat\$4)near3 (device\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:09
S70	32	((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:31
S71	160	((mirror\$4 or replicat\$4)near3 (device\$1 or node\$1)) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:10
S72	72	(((mirror\$4 or replicat\$4)near3 (device\$1 or node\$1)) and "455"/\$.ccls.) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S73	296	(plurality or multiple or group\$1) near2 ((replicat\$4 or mirror\$3) adj2 (device\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:12
S74	2	((plurality or multiple or group\$1) near2 ((replicat\$4 or mirror\$3) adj2 (device\$1 or node\$1))) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:13
S75	1	((plurality or multiple or group\$1) near2 ((replicat\$4 or mirror\$3) adj2 (device\$1 or node\$1))) same (mobile or wireless or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14

S76	24	((plurality or multiple or group\$1) near2 ((replicat\$4 or mirror\$3) adj2 (device\$1 or node\$1))) and (mobile or wireless or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S77	10	(((plurality or multiple or group\$1) near2 ((replicat\$4 or mirror\$3) adj2 (device\$1 or node\$1))) and (mobile or wireless or cellular)) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S78	15	(((mirror\$4 or replicat\$4)near3 (device\$1 or node\$1)) and "455"/\$.ccls.) and @ad<"20000201") and (internet or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:15
S79	32	("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:31
S80	19	(("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.) and (restor\$3 or fault\$1 or fail\$4 or relocat\$4 or mov\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:33
S81	9957	rerout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:33
S82	4	rerout\$4 and (((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134"))).PN.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:35
S83	77187	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:35

S84	589	"455"/\$.ccls. and rerout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:36
S85	480	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:36
S86	10	709/239.ccls. and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S87	361	("455"/\$.ccls. and rerout\$4) and path\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S88	50336	plurality adj3 (link\$1 or node\$1 or path\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S89	54	(plurality adj3 (link\$1 or node\$1 or path\$3)) and (("455"/\$.ccls. and rerout\$4) and path\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:38
S90	39	((plurality adj3 (link\$1 or node\$1 or path\$3)) and (("455"/\$.ccls. and rerout\$4) and path\$3)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:51
S91	1	(((plurality adj3 (link\$1 or node\$1 or path\$3)) and (("455"/\$.ccls. and rerout\$4) and path\$3)) and @ad<"20000220") and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S92	771	"455"/\$.ccls. and replicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S93	100	("455"/\$.ccls. and replicat\$4) and mirror\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41

S94	102	("455"/\$.ccls. and replicat\$4) and mirror\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S95	63	((("455"/\$.ccls. and replicat\$4) and mirror\$3) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S96	54652	(alternat\$3 or backup or (back adj up) or rerout\$3 or (re adj rout\$3)) near3 (path\$1 or rout\$2 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:42
S97	15	((alternat\$3 or backup or (back adj up) or rerout\$3 or (re adj rout\$3)) near3 (path\$1 or rout\$2 or channel\$1)) and (((("455"/\$.ccls. and replicat\$4) and mirror\$3) and @ad<"20000220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:43
S98	163	((alternat\$3 or backup or (back adj up) or rerout\$3 or (re adj rout\$3)) near3 (path\$1 or rout\$2 or channel\$1)) and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:43
S99	14	(((alternat\$3 or backup or (back adj up) or rerout\$3 or (re adj rout\$3)) near3 (path\$1 or rout\$2 or channel\$1)) and 709/239.ccls.) and replicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S100	2946	mirror\$4 near2 (node\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S101	51	(mirror\$4 near2 (node\$1 or terminal\$1)) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S102	51	((mirror\$4 near2 (node\$1 or terminal\$1)) and "455"/\$.ccls.) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S103	39	(((plurality adj3 (link\$1 or node\$1 or path\$3)) and ((("455"/\$.ccls. and rerout\$4) and path\$3)) and @ad<"20000220") and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00

S10 4	22	((mirror\$4 near2 (node\$1 or terminal\$1)) and "455"/\$.ccls.) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:52
S10 5	1	(mobile or cellular or wireless or pda) and (mirror\$4 near2 (node\$1 or terminal\$1)) and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:53
S10 6	10	(mobile or cellular or wireless or pda) and mirror\$3 and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:59
S10 7	4	"6260070".URPN.	USPAT	OR	OFF	2004/06/21 13:58
S10 8	1	"6260070".URPN. and (pda or cellular or mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:59
S10 9	104	"455"/\$.ccls. and (next adj hop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00
S11 0	47	("455"/\$.ccls. and (next adj hop)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00
S11 1	91	yemini.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:02
S11 2	47	yemini.inv.	USPAT	OR	OFF	2004/06/21 14:02
S11 3	375	370/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:02
S11 4	18	370/238.ccls. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:56

S11 5	15	bgp and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:56
S11 6	12045	adjacent adj (router\$1 or node\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:49
S11 7	54	mirror\$3 same (adjacent adj (router\$1 or node\$1 or terminal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S11 8	38	(mirror\$3 same (adjacent adj (router\$1 or node\$1 or terminal\$1))) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S11 9	687	mirror\$3 and (adjacent adj (router\$1 or node\$1 or terminal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S12 0	49	(mirror\$3 and (adjacent adj (router\$1 or node\$1 or terminal\$1))) and replicat\$4 and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S12 1	3404	automatic\$4 near3 (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 2	13	(automatic\$4 near3 (replicat\$4 or mirror\$3)) and (adjacent adj (router\$1 or node\$1 or terminal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 3	2764	455/44\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 4	0	455/44\$.ccls. and (automatic\$4 near3 (replicat\$4 or mirror\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56

S12 5	115	455/44\$.ccls. and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 6	61	(455/44\$.ccls. and (replicat\$4 or mirror\$3)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:06
S12 7	2	"6490451".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:06
S12 8	1	"6490451".pn. and (internet or www or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S12 9	480	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S13 0	55	709/239.ccls. and (adjacent adj (router\$1 or node\$1 or terminal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S13 1	2	(709/239.ccls. and (adjacent adj (router\$1 or node\$1 or terminal\$1))) and (mirror\$3 or replicat\$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 2	17	"6047331".URPN.	USPAT	OR	OFF	2004/06/22 11:10
S13 3	35	"6055561".URPN.	USPAT	OR	OFF	2004/06/22 11:11
S13 4	5	("6047331".URPN. or "6055561".URPN.) and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:12
S13 5	3285	"370"/\$.ccls. and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:12

S13 6	6207	709/23\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 7	70873	"370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 8	1385	"370"/\$.ccls. and 709/23\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 9	57	("370"/\$.ccls. and 709/23\$.ccls.) and (replicat\$4 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S14 0	44	((370"/\$.ccls. and 709/23\$.ccls.) and (replicat\$4 or mirror\$3)) and (mirror\$3 or replicat\$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 1	77247	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:14
S14 2	6248	"455"/\$.ccls. and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 3	0	("455"/\$.ccls. and "370"/\$.ccls.) and exterior and adjacent and replicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 4	68	("455"/\$.ccls. and "370"/\$.ccls.) and adjacent and replicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 5	60	((455"/\$.ccls. and "370"/\$.ccls.) and adjacent and replicat\$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:21

S14 6	82	vaughn.xa. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:17
S14 7	1	(vaughn.xa. and "709"/\$.ccls.) and (rout\$3 adj (database\$1 or table\$1 or list\$1)) and replicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:17
S14 8	1	(vaughn.xa. and "709"/\$.ccls.) and (rout\$3 adj (database\$1 or table\$1 or list\$1)) and (mirror\$3 or replicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:19
S14 9	22	("5450313" "5475842" "5535195" "5581753" "5606669" "5608649" "5742510" "5771355" "5774668" "5781901" "5805824" "5835087" "5854899" "5864854" "5903723" "5920697" "5924116" "6011782" "6052718" "6061332" "6070191" "6097882").PN.	USPAT	OR	OFF	2004/06/22 11:18
S15 0	0	((vaughn.xa. and "709"/\$.ccls.) and (rout\$3 adj (database\$1 or table\$1 or list\$1)) and (mirror\$3 or replicat\$4)) and adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:19
S15 1	4	(vaughn.xa. and "709"/\$.ccls.) and adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20
S15 2	1259	(adjacent adj (router\$1 or node\$1 or terminal\$1)) and ("370"/\$.ccls. or 709/23\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20
S15 3	69	(adjacent adj (router\$1 or node\$1 or terminal\$1)) and ("370"/\$.ccls. and 709/23\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20
S15 4	56	((adjacent adj (router\$1 or node\$1 or terminal\$1)) and ("370"/\$.ccls. and 709/23\$.ccls.)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:22

S15 5	12	rerout\$3 and (((adjacent adj (router\$1 or node\$1 or terminal\$1)) and ("370"/\$.ccls. and 709/23\$.ccls.)) and @ad<"20000220")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S15 6	1582	service adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S15 7	235	(service adj database) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S15 8	0	((service adj database) and "707"/\$.ccls.) and 709/4.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S15 9	38	((service adj database) and "707"/\$.ccls.) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:56
S16 0	1	ssd and (service adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:58
S16 1	42246	request\$3 near4 service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:58